

SAFETY DATA SHEET



Vendee and third persons assume the risk of injury proximately caused by the material if reasonable safety procedures are not followed as provided for in the data sheet and vendor shall not be liable for such injury. Furthermore, vendor shall not be liable for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed.

All persons using this product, all persons working in an area where this product is used, and all persons handling this product should be familiar with the contents of this data sheet, posting this document for employee notification is recommended by the vendor.

I. Product Identification		
Manufacturer's Name	Jamestown North America	
Address	4550 Homestead Road, Houston, TX 77028	
Telephone	713-672-6655	
Emergency Phone	713-702-8850	
Trade Names	Lead with 0-9% Antimony	
Synonyms	Lead Products	
Intended Use	Medical, Industrial and Commercial	

II. Hazards Identification

Lead in sheet or massive form is not a significant hazard. However the following information is relevant if lead dust, fume or vapor is produced during use or storage.

GHS CLASSIFICATION

Acute toxicity, Oral (Category 4)

Acute toxicity, Inhalation (Category 3)

Carcinogenicity (Category 2)

Reproductive toxicity (Category 2)

Specific target organ toxicity – repeated exposure (Category 2)

Acute aquatic toxicity (Category 1)

Chronic aquatic toxicity (Category 1)

GHS Label Elements, including precautionary statements







Signal Word: Warning



th America		
Hazard Statements		
Harmful if swallowed.		
Toxic if inhaled		
Suspected of causing cancer.		
Suspected of damaging fertility or the unborn child.		
May cause damage to organs through prolonged or repeated exposure.		
Very toxic to aquatic life with long lasting effects.		
Statements		
Wash skin thoroughly after handling.		
Do not eat, drink or smoke when using this product.		
Obtain special instructions before use.		
Do not handle until all safety precautions have been read and understood.		
Do not breathe dust/fume/gas/mist/vapors/spray.		
Avoid release to the environment.		
Wear protective gloves/protective clothing/eye protection/face		
protection/respiratory protection.		
If swallowed: Rinse mouth. Call a poison center/doctor if you feel unwell.		
IF exposed or concerned: Get medical advice/attention.		
If inhaled: Remove person to fresh air and keep comfortable for breathing. Get		
medical advice/attention if you feel unwell.		
Collect spillage.		
Store locked up.		
Dispose of contents/container to an approved waste disposal facility in		
accordance with local, state and federal regulations.		

III. Composition and Information on Ingredients

MATERIAL OR COMPONENT (CAS #)	WEIGHT (%)
Lead	91 - 99.9
CAS# 7439-92-1	
EC # 231-100-4	
Antimony	0 - 9
CAS# 7440-36-0	
EC # 231-146-5	

IV. First Aid Measures

ROUTES OF EXPOSURE WHEN PROCESSING OR HANDLING		
Inhalation	Dust, vapors, and/or fumes may be irritating to the respiratory system, and	
	can result in both acute and chronic overexposure	
Skin Contact	Dust, vapors, and/or fumes may cause irritation	
Skin Absorption	Dust, vapors, and/or fumes are not readily absorbed through the skin	
Eye Contact	Dust, vapors, and/or fumes may cause irritation	
Ingestion	Dust, vapors, and/or fumes may be absorbed by the digestive system, and can result in both acute and chronic overexposure	



IV. First Aid Measures (cont'd)

EFFECTS OF OVEREXPOSURE			
Acute Overex	posure	If left untreated, metallic taste in mouth, weakness, vomiting, colic, loss of appetite and weight, uncoordinated body movements,	
		convulsions, stupor, diarrhea, bloody stools, and possible coma	
		may occur.	
Chronic Overe	erexposure If left untreated, weakness, insomnia, hypertension, slight irritation		
		to skin and eyes, metallic taste in mouth, anemia, constipation,	
	headache, muscle and joint pains, neuro-muscular dysfunction,		
	possible paralysis and encephalopathy, metal fume fever, loss of		
	appetite, nausea, and pneumoconiosis may ensue.		
EMERGENO	EMERGENCY AND FIRST AID PROCEDURES		
Inhalation	Remove from exposure and get medical attention if experiencing effects of		
	overexposure		
Skin	Wash thoroughly with soap and water		
Eyes	Flush with copious quantities of water and get immediate medical attention		
Ingestion	Get immediate medical attention		
NOTES TO PHYSICIAN			
Lead and its inorganic compounds are neurotoxins, which may produce peripheral neuropathy.			
For an overview of the effects of lead exposure, consult Occupational Safety and Health			

V. Firefighting Measures

Administration Appendix A of Occupational Exposure to Lead (29CFR1910.1025).

Flash Point (Test Method)	N/A
Auto Ignition Temperature	N/A
Flammable Limits in Air –	N/A
Lower (% by Volume)	
Flammable Limits in Air –	N/A
Upper (% by Volume)	
Extinguishing Media	Dry chemical or carbon dioxide, water fog or liquid foam
	should be used on surrounding fire. Do not use water on fires
	where molten metal is present. The rapid expansion of steam
	could cause an explosion.
Special Firefighting	Use full body protective clothing and full face piece, self-
Procedures	contained breathing apparatus operated in positive-pressure
	mode
Unusual Fire and Explosion	Molten metals produce dust, vapors, and/or fumes that may be
Hazard	toxic and/or respiratory irritants. May release toxic fumes of
	antimony oxide or stibine gas under fire conditions. The
	product, or its dust, can react vigorously with strong oxidizing
	agents.



VI. Accidental Release Measures		
If Material is Released or Spilled	Dust material should be vacuumed with high-efficiency particulate air filter vacuum or wet swept where vacuuming is not feasible. Particulate matter should be stored in dry containers for later disposal. Do not use compressed air or dry sweeping as a means of cleaning.	
Neutralizing Chemicals	N/A	
Waste Disposal Method	Dispose of toxic substances and hazardous wastes in accordance with local, state, and federal regulations	

VII. Handling and Storage		
Precautions for Safe Handling	 There are two major routes of entry of inorganic lead: inhalation and ingestion. Most inhalation exposure can be prevented with adequate use of ventilation and respiratory protection. Always exercise good personal hygiene prior to eating, smoking or applying cosmetics. These activities should be confined to non-contaminated areas. Do not smoke while using product. Work clothes and equipment should remain in designated lead contaminated areas and should never be taken home or laundered with personal clothing. User should be careful not to inhale fumes from soldering, welding, cutting or brazing processes. Launder contaminated clothing before reuse. Wash hands, face, neck, and arms thoroughly before eating, smoking, or applying cosmetics. The product is intended for industrial, commercial, and domestic use, and should be isolated from children and their environment. 	
Other Handling and Storage Requirements	 Store in dry area. Avoid contact with acids. Avoid skin contact. Adhere to all personal protection equipment procedures when handling. Adhere to all ventilation requirements when heavy metal exposure limits exceed permissible limits or threshold limit values. Before using this product, be familiar with the information contained in the Federal OSHA Standard for Occupational Exposure to Lead (29CFR1910.1025 and 29CFR1926.62). 	



VIII. Exposure Controls and Personal Protective Equipment

Exposure Lim	its		
0.05 mg/m^3			
C	Lead - OSHA Permissible Exposure Limit (PEL), 8-hour TWA 29CFR1910.1025 and 29CFR1926.62		
0.05 mg/m^3	Lead - ACGIH Threshold Limit Value (TLV), 8-hour TWA		
	Confirmed animal carcinogen with unknown relevance to humans		
0.05 mg/m^3	Lead - NIOSH Recommended Exposure Limit (REL), 8-hour TWA Appendix C		
0.5 mg/m^3	Antimony – OSHA Permissible Exposure Limit (PEL), 8-hour TWA		
0.5 mg/m^3	Antimony – OSHA Permissione Exposure Limit (PEL), 8-hour TWA Antimony – ACGIH Threshold Limit Value (TLV), 8-hour TWA		
$\frac{0.5 \text{ mg/m}}{0.5 \text{ mg/m}^3}$	Antimony - NIOSH Recommended Exposure Limit (REL), 8-hour TWA		
Engineering C			
Ventilation	Ventilation, as described in the <i>Industrial Ventilation Manual</i> produced by the		
Requirements	American Conference of Government Industrial Hygienists, shall be provided		
	in areas where exposures exceed the permissible exposure limits or threshold		
	limit values specified by OSHA or other local, state, and federal regulations.		
Specific Perso	nal Protection Equipment		
Respiratory	As specified by General Industry Standard 29CFR1910.1025(f) or		
	Construction Industry Standard 29CFR1926.62(f) of the Federal Occupational		
	Safety and Health Administration. Other local and state regulations may also		
	apply.		
Eye	Face shield or vented goggles should be used around molten metal.		
Glove	Gloves should be worn when handling the product in order to protect against		
	burns.		
Other	Coveralls, or other full body clothing, shall be worn during product use and		
Clothing	properly laundered after use, with the wash water disposed of in accordance		
and	with the local, state, and federal regulations. A uniform rental service is		
Equipment	recommended for individuals with regular exposure. Hardhat, safety boots,		
-1	and other safety equipment should be worn as appropriate for the industrial		
	environment. Personal clothing and shoes should be protected from		
	contamination with this product.		
	containmation with this product.		

IX. Physical Data

	· ·
Boiling Point @ 760 MM HG	~ 3164° F
Melting Point	~ 621° F
Specific Gravity $(H_20 = 1)$	~ 11.3
Vapor Pressure	N/A
Vapor Density (AIR = 1)	N/A
Solubility in H ₂ 0 (% by weight)	Negligible
% Volatiles by Volume	N/A
Evaporation Rate (Buryl Acetate = 1)	N/A
Appearance	Silver-gray metal, tarnishes
Odor	No apparent odor



X. Stability and Reactivity

Conditions Contributing to Instability	N/A
Hazardous Decomposition Products	High temperatures may produce heavy metal dust,
	vapors, and/or fumes
Conditions Contributing to Hazardous	N/A
Polymerization	
Incompatible Materials	Can react vigorously with oxidizing agents.
	Incompatible with acids, sodium carbide,
	trioxane, hydrogen peroxide, sodium azide,
	disodium acetylide, sodium acetylide, zirconium
	and ammonium salts. Antimony is spontaneously
	flammable with nitrates, halogens (fluorine,
	chlorine or bromine) and halogenated compounds.
	Antimony will react with nascent (freshly formed)
	hydrogen to form stibine (SbH3) gas which is
	extremely toxic.

XI. Toxicological Information

Lead product in sheet or massive form is not a significant health hazard. However the		
following information is relevant if lead dust, fume or vapor is produced during use or storage		
RTECs Number	OF7525000 (Lead), CC4025000 (Antimony)	
Specific Target Organ Toxicity – Acute	Gastrointestinal (Digestive), Neurological	
Exposure	(Nervous System), Ocular (Eyes), Renal (Urinary	
	System or Kidneys), Lungs	
Specific Target Organ Toxicity – Chronic	Cardiovascular (Heart and Blood Vessels),	
Exposure	Developmental (effects during periods when	
	organs are developing), Gastrointestinal	
	(Digestive), Hematological (Blood Forming),	
	Musculoskeletal (Muscles and Skeleton),	
	Neurological (Nervous System), Ocular (Eyes),	
	Renal (Urinary System or Kidneys), Reproductive	
	(Producing Children), Lungs	
Acute Toxicity to Animals		
LC50	Antimony – inhl – rat – 720 mg/m^3 , Lead – N/A	
LD50	Antimony – oral – rat – 7500 mg/kg, Lead – N/A	
Other Information on Acute Toxicity	N/A	
Skin Corrosion/Irritation	May cause irritation. Antimony exposure may	
	cause antimony spots, which is a rash around	
	sweat and sebaceous glands.	
Serious Eye Damage/eye irritation	Particulate may cause mechanical injury.	
	Antimony may cause ocular conjunctivitis.	
Systemic Effects		
Respiratory or skin sensitization	N/A	
Germ Cell Mutagenicity - Lead		
Cytotoxicity analysis	Inhalation – rat	



XI. Toxicological Information (cont'd)

<u> </u>	ui inioi mution (cont u)
Carcinogencity - Lead	
IARC	Group 2B – Possibly carcinogenic to humans
NTP	Reasonably anticipated to be a human carcinogen
OSHA	1910.1025
Reproductive Toxicity - Lead	
Suspected Human Reproductive Toxicant	
Rat – Inhalation	Effects on Newborn: Biochemical and metabolic
Rat – Oral	Effects on Newborn: Behavioral
Mouse – Oral	Effects on Fertility (e.g., # females pregnant per # sperm positive females; # females pregnant per # females mated). Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea)
Teratogenicity - Lead	
Rat – Inhalation	Effects on Embryo or Fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific Developmental Abnormalities: Blood and Lymphatic system (including spleen and marrow)
Rat – Oral	Specific Developmental Abnormalities: Blood and Lymphatic system (including spleen and marrow). Effects on newborn: Growth statistics (e.g., reduced weight gain)
Rat – Oral	Effects on Embryo or Fetus: Fetotoxicity (except death, e.g. stunted fetus) and Fetal death.
Mouse – Oral	Effects on Embryo or Fetus: Fetotoxicity (except death, e.g. stunted fetus) and Fetal death.

XII. Ecological Information	
Lead in sheet or massive form is not a significant ecological hazard in its present form. All	
ecological tests were conducted with a dissolved form of lead or antimony.	
Toxicity to Fish	Lead - Mortality LOEC – Oncorhynchus
	mykiss (rainbow trout) – 1.19 mg/l – 96 h
	Lead - LC50 – Micropterus dolomieu
	(smallmouth bass) – 2.2 mg/l – 96 h
	Antimony – LC50 – Cyprinodon variegatus
	(sheepshead minnow) $-6.2 - 8.3 \text{ mg/l} - 96 \text{ h}$
	Lead - Mortality NOEC – Salvelinus
	fontinalis (brook trout) – 1.7 mg/l – 10 d.
	Antimony - Mortality NOEC – Cyprinodon
	variegatus (sheepshead minnow) – 6.2 mg/l –
	96 h
Toxicity to Daphnia	Lead - Mortality LOEC – 0.17 mg/l -24 h



North America		
	Lead - Mortality NOEC – 0.099 mg/l – 24 h	
XII. Ecological Information (cont'd)		
Toxicity to Algae	Lead - Mortality EC50 – Skeletonema	
	costatum – 7.94 mg/l – 10 d	
Persistence and degradability	N/A	
Mobility in soil	N/A	
PBT and vPvB assessment	N/A	
Other adverse effects	Very toxic to aquatic life with long lasting	
	effects	

XIII. Disposal Considerations

Dispose of toxic substances and hazardous wastes in accordance with local, state, and federal regulations

XIV. Transport Information

Not regulated as hazardous for transport.

XV. Regulatory Information Carcinogen, Target Organ Effect, Harmful by **OSHA** Hazards Ingestion, Teratogen SARA 302 Components No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components Subject to reporting levels established by SARA Title III, Section 313 Lead CAS #7439-92-1, Revision Date 1994-Massachusetts Right to Know Components 04-01 Antimony CAS#7440-36-0, Revision Date 2007-07-01 Pennsylvania Right to Know Components Lead CAS #7439-92-1, Revision Date 1994-04-01 Antimony CAS#7440-36-0, Revision Date 2007-07-01 New Jersey Right to Know Components Lead CAS #7439-92-1, Revision Date 1994-Antimony CAS#7440-36-0, Revision Date 2007-07-01 California Prop. 65 Warning WARNING! This product contains a chemical known to the State of California to cause cancer. WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.



XVI. Other Information

Date of revision March 1, 2016

Jamestown North America believes that this information is correct, however, we cannot guarantee that it is all inclusive. No warranty is made, express or implied, and Jamestown North America assumes no liability resulting from its use.



Prepared by: Jamestown North America

Address: 4550 Homestead Road, Houston, TX 77028